



Octagon Pond SACC

Licensed Child Care Workplace Inspection Checklist

Firm # 2038622 Site

<u>Checklist Items</u>	<u>Comments</u>	<u>Staff Initials</u>
Exits:		
Signage present		LE
Width, wheelchair accessibility		LE
Ice Control!	N/A JULY → weather	/
Direction of openings		LE
Mechanical hardware		LE
Doors kept close		LE
Ergonomics:		
Repetitive movements required		LE
Use proper lifting techniques		LE
Stacking/Storage:		
Safe storage area and containers		LE
Safe arrangement of equipment and materials		LE
Equipment in safe working Condition		LE
Aisles/Passageways:		
Clear of clutter		LE
Adequate lighting		LE
No tripping hazards		LE



Checklist Items

Comments

Staff Initials

Dangerous Substances:

Have been identified

Cleaner

LE

Emergency plan in place

LE

Sanitation

LE

Washrooms meet standards

LE

MSDS posted

LE

Electrical:

Switches and outlets have plate covers

LE

Electrical cords in good condition

none present

LE

Emergency Preparedness:

Emergency plan in place

LE

Stocked first aid kits available

LE

Regularly inspected fire extinguishers/alarms

Oct 22/

LE

Playground:

Check for ice control

N/A

-

Check for foreign objects

LE

Check playground equipment

LE

Check surfaces

LE

Check gate latches

none present

LE

Other:



Date of inspection: June 13/23

Inspected by: Lou Evans

