



St. Teresa's  
SACC

**YMCA of Newfoundland and Labrador**

Avalon Peninsula Region  
35 Ridge Road, P.O. Box 21291  
St. John's, NL A1A 5G6  
Tel: 709-726-9622  
www.ymcanl.com CRA#108225533RR0001

**Licensed Child Care Workplace Inspection Checklist**

Firm # 2038622 Site

<u>Checklist Items</u>	<u>Comments</u>	<u>Staff Initials</u>
<b>Exits:</b>		
Signage present	_____	SW
Width, wheelchair accessibility	_____	SW
Ice Control	_____	SW
Direction of openings	_____	SW
Mechanical hardware	_____	SW
Doors kept close	_____	SW
<b>Ergonomics:</b>		
Repetitive movements required	_____	SW
Use proper lifting techniques	_____	SW
<b>Stacking/Storage:</b>		
Safe storage area and containers	_____	SW
Safe arrangement of equipment and materials	_____	SW
Equipment in safe working Condition	_____	SW
<b>Aisles/Passageways:</b>		
Clear of clutter	_____	SW
Adequate lighting	_____	SW
No tripping hazards	_____	SW



**Checklist Items**

**Comments**

**Staff Initials**

**Dangerous Substances:**

Have been identified

\_\_\_\_\_

SW

Emergency plan in place

\_\_\_\_\_

SW

Sanitation

\_\_\_\_\_

SW

Washrooms meet standards

\_\_\_\_\_

SW

MSDS posted

\_\_\_\_\_

SW

**Electrical:**

Switches and outlets have plate covers

\_\_\_\_\_

SW

Electrical cords in good condition

\_\_\_\_\_

SW

**Emergency Preparedness:**

Emergency plan in place

\_\_\_\_\_

SW

Stocked first aid kits available

\_\_\_\_\_

SW

Regularly inspected fire extinguishers/alarms

\_\_\_\_\_

SW

→ Add more items  
→ 1 First Aid kit missing, added new first aid kit.  
NIA

**Playground:**

Check for ice control

\_\_\_\_\_

SW

Check for foreign objects

\_\_\_\_\_

SW

Check playground equipment

\_\_\_\_\_

SW

Check surfaces

\_\_\_\_\_

SW

Check gate latches

\_\_\_\_\_

NIA

SW

**Other:**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



Date of inspection: April 19/24

Inspected by: S. White Melee

