


YMCA of Newfoundland and Labrador

Avalon Peninsula Region
 35 Ridge Road, P.O. Box 21291
 St. John's, NL A1A 5G6
 Tel: 709 726-9622
 www.ymcanl.com CRA#108225533RR0001

Licensed Child Care Workplace Inspection Checklist

Firm # 2038622 Site Roncalli Elem SACC Jan 10/25

<u>Checklist Items</u>	<u>Comments</u>	<u>Staff Initials</u>
Exits:		
Signage present	<u>at main doors</u>	<u>SW</u>
Width, wheelchair accessibility		<u>SW</u>
Ice Control	<u>@ School maintains</u>	<u>SW</u>
Direction of openings	<u>main door outward</u>	<u>SW</u>
Mechanical hardware		<u>SW</u>
Doors kept close	<u>Main door closed + locked</u>	<u>SW</u>
Ergonomics:		
Repetitive movements required	<u>will add poster to board</u>	<u>SW</u>
Use proper lifting techniques		<u>SW</u>
Stacking/Storage:		
Safe storage area and containers	<u>Careful removing high objects</u>	<u>SW</u>
Safe arrangement of equipment	<u>from top of cupboard</u>	<u>SW</u>
and materials		<u>SW</u>
Equipment in safe working		<u>SW</u>
Condition		<u>SW</u>
Aisles/Passageways:		
Clear of clutter	<u>All walkways Clear</u>	<u>SW</u>
Adequate lighting		<u>SW</u>
No tripping hazards		<u>SW</u>

Building healthy
 communities



<u>Checklist Items</u>	<u>Comments</u>	<u>Staff Initials</u>
Dangerous Substances:		
Have been identified	Bottle labeled	SW
Emergency plan in place		SW
Sanitation		SW
Washrooms meet standards		SW
MSDS posted	will post	SW
Electrical:		
Switches and outlets have plate covers		SW
Electrical cords in good condition		SW
Emergency Preparedness:		
Emergency plan in place		SW
Stocked first aid kits available	Refill band aids + ice packs	SW
Regularly inspected fire extinguishers/alarms	Oct 2024	SW
Playground:		
Check for ice control	N/A	SW
Check for foreign objects		SW
Check playground equipment		SW
Check surfaces		SW
Check gate latches	N/A No gate w/ latch	SW
Other:		
Date of inspection:	Jan 10/25	
Inspected by:	S. White Melee	