



## YMCA of Newfoundland and Labrador

Avalon Peninsula Region  
 35 Ridge Road, P.O. Box 21291  
 St. John's, NL A1A 5G6  
 Tel: 709-726-9622  
 www.ymcanl.com CRA#108225533RR0001

## Licensed Child Care Workplace Inspection Checklist

Firm # 2038622 Site St. Teresa's SACC Jan 9/24

Checklist ItemsCommentsStaff InitialsExits:

Signage present

yesSW

Width, wheelchair accessibility

SW

Ice Control

School does ice controlSW

Direction of openings

outwardSW

Mechanical hardware

SW

Doors kept close

Closed & lockedSWErgonomics:

Repetitive movements required

will add postersSW

Use proper lifting techniques

SWStacking/Storage:

Safe storage area and containers

Some items above cabinetSW

Safe arrangement of equipment

pushed in not hanging overSW

and materials

Equipment in safe working

SW

Condition

Aisles/Passageways:

Clear of clutter

Reminder to keep awaySW

Adequate lighting

SW

No tripping hazards

SW

Building healthy  
 communities



| Checklist Items                               | Comments            | Staff Initials |
|---|---------------------|----------------|
| <b>Dangerous Substances:</b>                  |                     |                |
| Have been identified                          | Bottle labeled      | SW             |
| Emergency plan in place                       |                     | SW             |
| Sanitation                                    |                     | SW             |
| Washrooms meet standards                      |                     | SW             |
| MSDS posted                                   | posted              | SW             |
| <b>Electrical:</b>                            |                     |                |
| Switches and outlets have plate covers        |                     | SW             |
| Electrical cords in good condition            |                     | SW             |
| <b>Emergency Preparedness:</b>                |                     |                |
| Emergency plan in place                       |                     | SW             |
| Stocked first aid kits available              | Need more band-aids | SW             |
| Regularly inspected fire extinguishers/alarms | Oct 2024            | SW             |
| <b>Playground:</b>                            |                     |                |
| Check for ice control                         | N/A                 | SW             |
| Check for foreign objects                     |                     | SW             |
| Check playground equipment                    |                     | SW             |
| Check surfaces                                |                     | SW             |
| Check gate latches                            | NO locked gate      | SW             |
| <b>Other:</b>                                 |                     |                |
|   |                     |                |
|   |                     |                |
|   |                     |                |
|   |                     |                |
| Date of inspection: Jan 9/24                  |                     |                |
| Inspected by: S. White Melee                  |                     |                |